

Minister's Delegates - Recreational Aviation Représentants du Ministre - Aviation de loisir

Inspection Service

Service d'inspection

MDRA C20 MANUAL of PROCEDURES for INSPECTION of COMPOSITE, IMPORTED AMATEUR-BUILT AIRCRAFT, INSPECTION AND TECHNICAL INFORMATION RECORD

IMPORTER □			MD-RA REGISTRY NUMBER:				
SURNAME:		GIVEN NAME(S)					
ADDRESS:							
CITY:	PROVINCE:		POSTAL CODE:				
HOME TELEPHONE:		FACSIMILE	1				
BUSINESS TELEPHONE:	EMAIL:						
REGISTRATION MARKS C-		CERTIFICA	CERTIFICATE OF REGISTRATION DATE:				
A/C MAKE:	MAKE: MODEL:		SEI		SERIAL NO.:		
PRESSURIZED	PISTON ENGI	INE □	E □ TURBINE □				
AIRCRAFT EQUIPED WITH AN INTEGRATED DIGITAL INSTRUMENT PANEL, (EFIS, TRANSPONDER,ETC) YES N						NO □	
MAXIMUM TAKE- OFF WEIGHT Increased design gross weight must be approved by Transport Canada, after 5 hours test period Kg Kg							
NAME of DESIGNER or SOURCE of PLANS, KIT and/or MATERIALS (ATTACH LIST IF REQUIRED):							
ADDRESS:							

MDRA_ Import_ C20E_ C_20151112 Page 1 de 9
2469 Aviation Lane, London ON N5V 3Z9

	RECORD OF INSPECTION					
Job number	Inspector Name (Print)	Obs. Sheet No.	Date yyyy=mm-dd	Signature		

The importer must be present for the inspection

Section 1.0 GENERALITIES

1.	Has the importer incorporated any modifications to the structure which will affect flight, structural integrity				
	of the aircraft, or eligibility for aerobatic waiver?		(Y N)		
	If yes, give details below.				
2.	Has the importer used professional assistance?		(Y N)		
	If yes, provide:				
	Contractor Name:	Telephone			
3.	What work has been performed by the professional assistance?	(List below)			

MDRA_Import_C_C20E_20151112

Page 2 de 9

2469 Aviation Lane, London ON N5V 3Z9

Local Phone: 519-457-2909 md-ra@md-ra.com www.md-ra.com

- (Y) Indicates compliance with requirements for Amateur Built aircraft contained in the applicable sections of CARs and the exemption from section 549.01 of the Canadian Aviation Regulations and Chapter 549 of the airworthiness manual airworthiness standards-amateur -built aircraft.
- (N) Indicates non-compliance. State nature of discrepancy under "Notes"

(N/A) - Indicates not applicable.

Section 1.1 COMPLIANCE WITH AMATEUR-BUILT REQUIREMENTS

1.	Is an Amateur Built Information Package available?	(Y N
2.	Is the importer familiar with the applicable legislation?	(Y N
3.	Does the aircraft gross weight comply with the weight specified by the aircraft designer and / or kit supplier?	(Y N
4.	Does the aircraft wing loading indicate high performance?	(Y N
5.	Will the importer be requesting an Aerobatic Waiver?	(Y N
6.	Does the aircraft meet aerobatic design requirements?	(Y N
7.	Is the importer familiar with special inspection requirements for composite construction?	(Y N
8.	Does the importer have copies of applicable newsletters or other pertinent information from the kit supplier?	(Y N
9.	Does the importer have "Acceptable Methods, Techniques and Practices" (AC 4313 1B or latest amendment)	(Y N
10.	Are drawings available?	(Y N

MDRA_ Import_ C20E_ C_20151112 2469 Aviation Lane, London ON N5V 3Z9

Local Phone: 519-457-2909 Toll Free: 1-877-419-2111 Fax: 519-457-0980 or 1-877-800-6362

md-ra@md-ra.com www.md-ra.com

Section 1.4 IMPORT INSPECTION

GENERAL

1		(MAN)
1.	Have all cowls, covers, inspection openings, fairings, etc been removed to allow access for proper inspection?	(Y N)
2.	Has the aircraft been painted in accordance with designer's recommendations?	(Y N)
3.	Does the glass cloth structure meet applicable quality standards, (no over sanding, no damaged glass cloth etc)?	(Y N)
FU	USELAGE (HULL)	
1.	Are all attachment fittings to accepted practice?	(Y N)
2.	Is all attachment hardware employed and safely tied?	(Y N)
3.	Are there inspection openings for all critical areas?	(Y N)
4.	Is ventilation and drainage provided?	(Y N)
5.	Are all surfaces protected against environmental deterioration?	(Y N)
6.	Firewall material and thickness- Correct? Is it sealed?	(Y N)
CC	ONTROL SYSTEMS	
1.	Are all controls secured and safely tied?	(Y N)
2.	Are control stops provided?	(Y N)
3.	Are pulleys of proper diameter for bends involved, suited to cable size, and provided with cable guards?	(Y N)
4.	Is cable fabrication to accepted practice?	(Y N)
5.	Has importer access to "go-no-go" gauge to check nicopress sleeves?	(Y N)
6.	Is all hardware throughout systems installed and safely tied?	(Y N)
7.	Is there full throw of all controls with seats occupied and harness secured?	(Y N)
8.	Are fairleads incorporated which alter cable direction in excess of 3 (three) degrees?	(Y N)
FX	KITS	
1.	Can aircraft be rapidly cleared in the event of an emergency?	(Y N)
2.	Is there provision for emergency external release of canopy or door?	(Y N)
3.	Is the external emergency canopy/door release placarded?	(Y N)
**/	INDSHIELD AND WINDOWS	
	INDSHIELD AND WINDOWS Are windshield and windows of accentable materials?	(V N)
1.	Are windshield and windows of acceptable materials?	(Y N)
2.	Are they braced for positive and negative pressure?	(Y N)
3.	Are they free from distortion to allow proper vision?	(Y N)
BA	AGGAGE COMPARTMENT	
1.	Are walls and floor to specifications?	(Y N)
2.	Does weight and balance reflect loading of this compartment?	(Y N)
3.	Are baggage restraints installed?	(Y N)
CA	ABIN / COCKPIT	
1.	Instrument and gauge installation and range markings ok?	(Y N)
2.	Are all primary minimum instruments readily visible to pilot at a single viewing?	(Y N)
	(No scrolling permitted on glass type displays).	. ,
	Note: A standalone magnetic compass is mandatory	
3.	Is standalone magnetic compass installed	
4.	Is fire extinguisher properly mounted (metal bracket) and is it accessible with harness secured?	(Y N)

MDRA_Import_C_C20E_20151112

Page 4 de 9

2469 Aviation Lane, London ON N5V 3Z9

Local Phone: 519-457-2909 Toll Free: 1-877-419-2111 Fax: 519-457-0980 or 1-877-800-6362

md-ra@md-ra.com www.md-ra.com

5.	Are the following placards installed,	
	Fireproof Aircraft Identification Plate_ (Per CAR 201.01)	(Y N)
	Aerobatics prohibited	(Y N)
	Amateur built warning (Must be Bilingual)	(Y N)
	Compass deviation card	(Y N)
	Canopy/door release - Exterior and Interior	(Y N)
6.	Are seat belts to aeronautical standard (TSO) or equivalent?	(Y N)
7.	Are seat belts anchored to the primary structure?	(Y N)
8.	Are weight and balance report figures within design specifications?	(Y N)
9.	Is the fire extinguisher rated for the type of material used in this aircraft?	(Y N)
EN	GINE INSTALLATION	
1.	Are all controls secured and safely tied, with no excessive play, and no evidence of binding	
	or interference throughout full travel?	(Y N)
2.	Is oil tank secured and safely tied?	(Y N)
3.	Is crankcase breather line installed including auxiliary vent opening?	(Y N)
4.	Is ignition harness to accepted practice and in good condition?	(Y N)
5.	Are magneto, (electronic ignition) wires sound and is the switch grounded directly to the engine?	(Y N)
6.	Are cabin and carburetor heat muffs and hoses to accepted practice and condition?	(Y N)
7.	Are cabin heat valves made of fireproof material?	(Y N)
8.	Is carburetor heat provided to accepted practice and condition?	(Y N)
	Note: Carburetor heat mandatory for all Carbs.	
9.	Is engine mount free from bends and apparent defects and is attachment hardware in safety?	(Y N)
	Is cowl security, condition and methods of attachment to accepted practice?	(Y N)
11.	Is the engine ground-strapped directly to the airframe?	(Y N)
EL	ECTRICAL SYSTEM	
1.	Is the aircraft wiring of specified type and gauge?	(Y N)
2.	Are grommets used and is wire secured?	(Y N)
3.	Are fuses or circuit breakers employed?	(Y N)
4.	Is battery installation to accepted practice and have provisions been made for venting and spill damage	(Y N)
5.	Is structure around battery protected against spillage?	(Y N)
PR	OPELLER	
1.	Is condition and type to accepted practice?	(Y N)
2.	Are propeller bolts of correct length and in safety?	(Y N)
3.	Are propeller bolts torqued to manufacturing spec?	(Y N)
4.	Has propeller track been checked?	(Y N)
5.	Is spinner fabrication and installation to accepted practice?	(Y N)
GE	CNERAL	
1.	Is pitot tube secure and clear?	(Y N)
2.	Has pitot and static system been tested for leaks?	(Y N)
3.	Has pitot-static been calibrated?	(Y N)
4.	Are sufficient access openings provided for proper servicing and maintenance?	(Y N)
5.	Are registration markings properly installed, legal size and of sufficient contrast to background colours?	(Y N)
	(Ref Std 222.01)	(Y N)
6.	Is an approved first aid kit installed and readily available? CAR 602.60 (1) (h)	(Y N)

MDRA_ Import_ C20E_ C_20151112

Page 5 de 9

7. Is an approved ELT installed? (except Glider, Balloon, Airship or Gyrocopter) CAR 605.38 (1) (Y N)

8. Has control rigging and function been checked? (Y N)

9. Have control movements been checked by importer? (Y N)

NOTE: Importer supplies these data, inspector records them below.

Control	Test conditions		Deflec	ction		Test results	
Aileron	Stick neutral	Right	Deg	Left	Deg	Both ailerons perfectly neutral	(Y N)
	Stick full right	Right	Deg	Left	Deg	R aileron, full up, L aileron, full down	(Y N)
	Stick full left	Right	Deg	Left	Deg	R aileron, full down, L aileron, full up	(Y N)
				Deflection	<u> </u>		
Elevator	Stick neutral		Deg	Both eleva	tors per	fectly neutral	(Y N)
	Stick full forward	Down	Deg	Both eleva	tors full	down	(Y N
	Stick full aft	Up	Deg	Both eleva	tors full	up	(Y N)
				Deflection	1		
Rudder	Pedals neutral		Deg	Rudder per	fectly r	eutral	(Y N)
	R pedal full forward	Right	Deg	Rudder ful	l right		(Y N)
	L pedal full forward	Left	Deg	Rudder ful	l left		(Y N)
				Deflection	1		
Flaps	Up position		Deg	Flaps up a position	nd align	ed with aileron and flap indicator in up	(YN)
	Down position	Down	Deg	Flaps dow	n and fl	ap indicator in down position	(Y N)
Spoilers	Down position			Spoilers co	mplete	ly recessed in wings	(Y N)
	Up position			Spoilers fu	lly and	equally deployed	(Y N)
Trim				Def	ection		
Elevator	Neutral position		Deg	Trim align		ectly with elevator and trim indicator in	(Y N)
	Nose up position		Deg			d trim indicator in nose up position	(YN)
	Nose down position		Deg	Trim full t	ip and t	rim indicator in nose down position	(Y N)
		•		Deflection			
Rudder	Neutral position		Deg	Trim align		ectly with rudder and trim indicator in	(Y N)
	Full right position		Deg	Trim full 1	ight and	l trim indicator in left position	(Y N)
	Full left position		Deg	Trim full l	eft and	trim indicator in right position	(Y N)
				Deflection	1		()
Aileron	Neutral position		Deg	Trim align		ectly with aileron and trim indicator in	(Y N)
	Right wing up		Deg			d trim indicator in left position	(Y N)
	Right wing down	Deg		Trim full	ıp and t	rim indicator in right position	(Y N)
10. Are al	ll controls and essential	equipment ea	sily acces	ssible with h	arness s	ecured? ((Y N)
11. Is coc	kpit provided with venti	lation?				((Y N)
12. Seat s	trength-are the seats buil	lt to designer	's specific	cation?			(Y N)
FLIGHT	AND ENGINE CONT	ROLS					
	ontrols placarded for ide		d operati	on?		((Y N)
	eration of all controls sm		_				(Y N)
2. IS ODE		3		_		`	
_	ll controls protected fron	n jamming by	foreign	objects?		((Y N)

MDRA_Import_C_C20E_20151112

Page 6 de 9

5.	No binding or jackknifing of cables of	•		(Y N)	
6. 7.	No binding or rough operation of Mi Carburetor heat control-full heat, ens			(Y N)	
,.	ensure valve is fully seated.	are varve is closed and so	sacci. When moved to run cold,	(Y N)	
	All controls operating in proper direct			(Y N)	
	Fuel Injection- test operation of alter	= = -		(Y N)	
	Air Filter - Check for proper installa			(Y N)	
	Does Air Box has unsecured hardwar			(Y N)	
12.	Does Foam Filter has screen to preve	ent ingestion?		(Y N)	
EN	GINE TESTING				
			, Serial Number		
Pro	peller Manufacturer	, Model	, Serial Number		
Hav	ve importer setup aircraft for an engine	e run-up.			
Exp	blain that you will check for the follow	ring during run up:			
1.	Engine start:	Hard 🗖	Easy 🗖		
2.	Does oil pressure rise immediately?			(Y N)	
3.	Does engine idle smoothly?			(Y N)	
	we importer apply power and check the			ann.	
4. 5	Are the following readings or energy	=		(Y N)	
5.	Are the following readings or operation	ons normar.			
	temp and pressure				
Cyl	head temp				
Exl	naust Gas temp				
Сус	cling of variable pitch prop				
Eng	gine/prop vibration		٠		
Сус	cle of Carb heat control				
Сус	cle of Mixture control				
Rig	ht and left magnetos, (electronic ignit	ion) OFF- Normal RPM	drop		
Mo	mentary ignition switch OFF- test for	no live mag, (electronic i	gnition)		
Hav	ve engine brought to idle, then shut of	f.			
6.	Shut down normal?			(Y N)	
7.	Are there any oil leaks?			(Y N)	
FU	EL SYSTEM				
1.	Is selector valve within reach of pilot	t with harness secured an	d is it placarded?	(Y N)	
2.	Are fuel lines to accepted practice, co		•	(Y N)	
3.	Does fuel tank have a finger screen a	•	-	(Y N)	
4.	Are all fuel drains located at lowest p	oint in the system with the	ne aircraft at rest?	(Y N)	
5.	Are fuel drains fitted with positive sh	nut off valves?		(Y N)	
6.	Are drain overflows clear of all struc	tures?		(Y N)	
7.	Are the tanks vented?			(Y N)	
8. Is the gascolator properly located and equipped with a suitable drain?					
Δ	lote: ensure no points in fuel lines belo	ow gascolator.			

9.	Has fuel flow been checked with minimum fuel and at maximum angle of climb?	(Y N)
	Did Importer record results on MDRA C14- fuel flow report?	(Y N)
	Tank supports?	(Y N)
	Is the tank compartment vented?	(Y N)
	Is fuel gauge installation and operation correct?	(Y N)
	Is the fuel system bonded?	(Y N)
15.	Is the fuel tank protected against chafing?	(Y N)
WI	NG-TAIL SURFACES	
1.	Is general fabrication to accepted practice?	(Y N)
2.	Are hinges and brackets sound?	(Y N)
3.	Is all hardware safely tied?	(Y N)
4.	Are all control surfaces including trim tab free of excessive play?	(Y N)
5.	Are all pulleys properly sized, employed and complete with cable guards?	(Y N)
6.	Are all fairleads correctly employed? (No change of direction over 3 degrees)	(Y N)
7.	Do all controls move freely and clearly through their full range of travel?	(Y N)
8.	Are all external braces, struts, etc. protected against environmental deterioration	
	both internally and externally?	(Y N)
9.	Are all strut fittings to accepted practice and are end fittings in safety?	(Y N)
10.	Are struts free from bends and apparent defects?	(Y N)
11.	Are wire bracing and end fittings to accepted practice and are end fittings in safety?	(Y N)
LA	NDING GEAR	
1.	Are attachment fittings per drawings?	(Y N)
2.	Is all hardware safely tied?	(Y N)
3.	Are brake system components and lines or cables installed and safely tied?	(Y N)
4.	Are wheels and brakes in good condition?	(Y N)
5.	Are tires sound with good tread?	(Y N)
6.	Does retraction system appear adequate for positive control and locking?	(Y N)
7.	Has a retraction test been accomplished?	(Y N)
8.	Did the inspector witness the retraction test?	(Y N)
9.	Emergency release (back up). Is pilot able to operate this control with harness fastened?	(Y N)
	SKI INSTALLATION	
1.	Ski Manufacturer, Model, Serial Number, (each ski)	
2.	Was the installation inspected?	(Y N)
3.	Is the installation per the drawings?	(Y N)
4.	Does the weight and balance record reflect the presence of the installed skis?	(Y N)
5.	Does the ski retraction system appear adequate for positive control and locking?	(Y N)
6.	Has a retraction test been accomplished?	(Y N)
7.	Did the inspector witness the retraction test?	(Y N)
8.	Emergency release (back up). Is pilot able to operate this control with harness fastened?	(Y N)
	C	(')

MDRA_Import_C_C20E_20151112 Page 8 de 9

SUMMARY, Import Inspection: 1. Is the inspection complete? (Y N) Has importer been notified of your findings? On site? □ By Mail? □ Date -_____ Inspector's Signature______ Print Name______

End of Section 1.4 Use the space below for notes if required.

yyyy-mm-dd

MDRA_ Import_ C20E_ C_20151112 Page 9 de 9

2469 Aviation Lane, London ON N5V 3Z9 Local Phone : 519-457-2909 Toll Free : 1-877-419-2111 Fax : 519-457-0980 or 1-877-800-6362

md-ra@md-ra.com www.md-ra.com